



SAFETY DATA SHEET
according to Regulation (EU) 2015/830

Zenith 8X One Shot Toilet Cleaner Concentrate (096800)

Revision: 9
Revision date: 21/9/18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| | |
|--|---|
| 1.1 Product identifier | |
| Product name | Zenith 8X One Shot Toilet Cleaner Concentrate (096800) |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against | |
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); |
| 1.3 Details of the supplier of the safety data sheet | |
| Company Address | Zenith Hygiene Group A1M Business Centre Dixons Hill Road Welham Green Herts AL9 7JE United Kingdom |
| Web | www.zhgplc.com |
| Telephone | 01707 270260 |
| Email: | helpdesk@zhgplc.com |
| 1.4 Emergency telephone number | |
| Emergency telephone number | 028 9267 3331 Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals) |

SECTION 2: Hazards identification

| | |
|---|---|
| 2.1 Classification of the substance or mixture | |
| 2.1.2 Classification - EC 1272/2008 | Skin Corr. 1B: H314; |
| 2.2 Label elements | |
| Hazard pictograms | |
| Signal Word | Danger |
| Hazard Statement | Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. |
| Precautionary Statement: Prevention | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| Precautionary Statement: Response | P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ . P363 - Wash contaminated clothing before reuse. |
| Precautionary Statement Storage | P405 - Store locked up. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. |
| Further information | |
| | Contains: phosphoric acid. |

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

EC 1272/2008

| Chemical name | Index No. | CAS No. | EC No. | REACH registration Number | Conc (%w/w) | Classification |
|--|--------------|-----------|-----------|---------------------------|-------------|--|
| Orthophosphoric acid | 015-011-00-6 | 7664-38-2 | 231-633-2 | 01-2119485924-00 | 10-20% | Skin Corr. 1B: H314; |
| Quaternary ammonium compounds, trimethyltallow alkyl, chlorides (*R01) | | 8030-78-2 | 232-447-4 | | 1-10% | Flam. Liq. 2: H225; Acute Tox. 4: H302; Skin Corr. 1B: H314; STOT SE 3: H336; Aquatic Acute 1: H400; |
| Sodium xylenesulphonate | | 1300-72-7 | 215-090-9 | 01-2119513350-56 | 1-10% | Eye Irrit. 2: H319; |
| Isopropanol (Propan-2-ol) | 603-117-00-0 | 67-63-0 | 200-661-7 | 01-2119457558-25 | 1-10% | Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; |

SECTION 4: First aid measures**4.1 Description of first aid measures**

| | |
|---------------------|---|
| Inhalation | Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention. |
| Eye contact | Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention. |
| Skin contact | Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. |
| Ingestion | Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|---------------------|-------------------------------|
| Inhalation | Irritant, Severe respiratory. |
| Eye contact | Causes severe burns. |
| Skin contact | Causes severe burns. |
| Ingestion | Causes severe burns. |

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|--|--|
| | No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11. |
|--|--|

SECTION 5: Firefighting measures**5.1 Extinguishing media**

| | |
|--|---|
| | Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam. |
|--|---|

5.2 Special hazards arising from the substance or mixture

| | |
|--|--|
| | Corrosive. Burning produces irritating, toxic and obnoxious fumes. |
|--|--|

5.3 Advice for firefighters

| | |
|--|---|
| | Wear suitable respiratory equipment when necessary. |
|--|---|

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

| | |
|--|---|
| | Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment. |
|--|---|

6.2 Environmental precautions

| | |
|--|---|
| | Do not allow product to enter drains. Prevent further spillage if safe. |
|--|---|

6.3 Methods and material for containment and cleaning up

| | |
|--|---|
| | Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. |
|--|---|

6.4 Reference to other sections

| | |
|--|---|
| | For personal protective equipment see subsection 8.2. For disposal considerations see section 13. |
|--|---|

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

| | |
|--|--|
| | Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing. |
|--|--|

7.2 Conditions for safe storage, including any incompatibilities

| | |
|--|---|
| | Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4. |
|--|---|

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure Limit Values - UK

| | |
|----------------------------------|---|
| Orthophosphoric acid | WEL 8-hr limit mg/m3: 1 WEL 15 min limit mg/m3: 2 |
| Isopropanol (Propan-2-ol) | WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999 WEL 15 min limit ppm: 500 WEL 15 min limit mg/m3: 1250 |

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

| | |
|----------------------------------|---|
| Orthophosphoric acid | Occupational Exposure Limit Value (8-hour reference period) 1 mg/m3 Occupational Exposure Limit Value (15-minute reference period) 2 mg/m3 |
| Isopropanol (Propan-2-ol) | Occupational Exposure Limit Value (8-hour reference period) 200 ppm Occupational Exposure Limit Value (15-minute reference period) 400 ppm |

DNEL: Derived no-effect level.

Exposure Pattern - Workers

| | |
|---|---|
| Orthophosphoric acid | Long-term - inhalation - Local effects 2.92 mg/m ³ |
| Quaternary ammonium compounds, trimethyltallow alkyl, chlorides (*R01) | Long-term - inhalation - Systemic 3.32 mg/m ³ Long-term - dermal - Systemic 4.7 mg/kg |
| Sodium xylenesulphonate | Long-term - inhalation - Systemic effects 53.6 mg/m ³ Long-term - dermal - Systemic effects 7.6 mg/kg |
| Isopropanol (Propan-2-ol) | Long-term - inhalation - Systemic effects 500 mg/m ³ Long-term - dermal - Systemic effects 888 mg/kg |

Exposure Pattern - General population

| | |
|---|--|
| Orthophosphoric acid | Long-term - inhalation - Local effects 0.73 mg/m ³ |
| Quaternary ammonium compounds, trimethyltallow alkyl, chlorides (*R01) | Long-term - inhalation - Systemic 0.98 mg/m ³ Long-term - dermal - Systemic 2.83 mg/kg Long-term - oral - Systemic effects 2.83 mg/kg |

| | | |
|----------------------------------|---|------------------------|
| Sodium xylenesulphonate | Long-term - inhalation - Systemic effects | 13.2 mg/m ³ |
| | Long-term - dermal - Systemic effects | 3.8 mg/kg |
| | Long-term - oral - Systemic effects | 3.8 mg/kg |
| Isopropanol (Propan-2-ol) | Long-term - inhalation - Systemic effects | 80 mg/m ³ |
| | Long-term - dermal - Systemic effects | 319 mg/kg |
| | Long-term - oral - Systemic effects | 26 mg/kg |

8.2 Exposure controls

| | |
|---|--|
| 8.2.1 Appropriate engineering controls 8.2.2 Individual protection measures Eye / face protection Skin protection - Hand protection Respiratory protection |   |
| | Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product. |
| | Ensure adequate ventilation of the working area. |
| | Wear chemical protective clothing. |
| | Safety glasses. (EN166) |
| | Chemical resistant gloves (PVC). (EN 374) |
| Respiratory protection | Not normally required. Do not breathe gas/fumes/vapour/spray. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|----------------------------------|---------------------------|
| Appearance | Liquid |
| Colour | Blue |
| Odour | Characteristic |
| pH | <3 |
| Melting point | Not determined |
| Freezing Point | Not determined |
| Initial boiling point | Not determined |
| Flash point | Not determined |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | Not applicable to liquids |
| Fat Solubility | Not determined |
| Partition coefficient | Not determined |
| Autoignition temperature | Not determined |
| Viscosity | 150 cp @20°C (4%) |
| Explosive properties | Not explosive |
| Oxidising properties | Not oxidising |
| Solubility | Soluble in water |
| Vapour pressure | Not determined |

9.2 Other information

| | |
|-------------------------|------------------------|
| Conductivity | Not determined |
| Surface tension | Not determined |
| Specific gravity | 1.14 g/cm ³ |

SECTION 10: Stability and reactivity

10.1 Reactivity

| | |
|--|--|
| | No reactivity hazards known under normal storage and use conditions. |
|--|--|

10.2 Chemical stability

| | |
|--|---------------------------------|
| | Stable under normal conditions. |
|--|---------------------------------|

10.3 Possibility of hazardous reactions

| | |
|--|---------------------------------|
| | No other adverse effects known. |
|--|---------------------------------|

10.4 Conditions to avoid

| | |
|--|--|
| | Avoid contact with: Alkalis, Chlorine-based bleaching agents |
|--|--|

SECTION 11: Toxicological information

11.1 Information on toxicological effects

| | |
|----------------------------------|-----------------------------------|
| Skin corrosion/irritation | Causes burns. |
| Germ cell mutagenicity | No mutagenic effects reported. |
| Carcinogenicity | No carcinogenic effects reported. |
| Reproductive toxicity | No observed effect level. |

11.1.4 Toxicological Information

| | | |
|---|--------------------------------|-----------------------------|
| Orthophosphoric acid | Inhalation Rat LC50/15min: NDA | Dermal Rat LD50: NDA |
| | Oral Rat LD50: NDA | Oral Mouse LD50: NDA |
| | Dermal Rabbit LD50: NDA | Dermal Guinea Pig LD50: NDA |
| Quaternary ammonium compounds, trimethyltallow alkyl, chlorides (*R01) | Inhalation Rat LC50/15min: NDA | Dermal Rat LD50: NDA |
| | Oral Rat LD50: 1260 mg/kg | Oral Mouse LD50: NDA |
| | Dermal Rabbit LD50: NDA | Dermal Guinea Pig LD50: NDA |
| Sodium xylenesulphonate | Inhalation Rat LC50/15min: NDA | Dermal Rat LD50: NDA |
| | Oral Rat LD50: NDA | Oral Mouse LD50 >7000mg/kg |
| | Dermal Rabbit LD50: >200 mg/kg | Dermal Guinea Pig LD50: NDA |
| Isopropanol (Propan-2-ol) | Inhalation Rat LC50/15min: NDA | Dermal Rat LD50: NDA |
| | Oral Rat LD50: NDA | Oral Mouse LD50: 3600 mg/kg |
| | Dermal Rabbit LD50: NDA | Dermal Guinea Pig LD50: NDA |

SECTION 12: Ecological information

12.1 Toxicity

| | |
|---|--------------------------------|
| Orthophosphoric acid | Algae EC50/72h: NDA |
| | Guppy LC50/96h: NDA |
| | Daphnia LC50/48h: NDA |
| Quaternary ammonium compounds, trimethyltallow alkyl, chlorides (*R01) | Algae EC50/72h: NDA |
| | Guppy LC50/96h: NDA |
| | Daphnia LC50/48h: NDA |
| Sodium xylenesulphonate | Algae EC50/72h: 310mg/ml |
| | Guppy LC50/96h: >1000mg/ml |
| | Daphnia LC50/48h: 40.3000 mg/l |
| Isopropanol (Propan-2-ol) | Fish LC50/96h: 1000.0000 mg/l |
| | Daphnia LC50/48h: NDA |
| | Green algae EC50/96h: NDA |

12.2 Persistence and degradability

No data is available on this product.

12.3 Bioaccumulative potential

No data is available on this product.

Partition coefficient

No data is available on this product.

12.4 Mobility in soil

No data is available on this product.

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Dispose of in compliance with all local and national regulations.
Empty containers can be cleaned with water.

Further information

European Waste Catalogue: 20 01 14 acids.

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

UN1805

14.2 UN proper shipping name

PHOSPHORIC ACID, SOLUTION

14.3 Transport hazard class(es)

| | |
|-----------------|---|
| ADR/RID | 8 |
| Subsidiary risk | - |
| IMDG | 8 |
| Subsidiary risk | - |
| IATA | 8 |
| Subsidiary risk | - |

14.4 Packing group

Packing group III

14.5 Environmental hazards

| | |
|-----------------------|----|
| Environmental hazards | No |
| Marine pollutant | No |

ADR/RID

| | |
|-----------------|----|
| Hazard ID | 80 |
| Tunnel Category | E |

IMDG

EmS Code F-A-S-B

IATA

| | |
|---------------------------------|-----|
| Packing Instruction (Cargo) | 856 |
| Maximum quantity | 60L |
| Packing Instruction (Passenger) | 852 |
| Maximum quantity | 5L |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:
• Regulation(EC)No.1907/2006 - REACH
• Regulation(EC)No1272/2008 - CLP
• Regulation(EC)No.648/2004 - Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004
Less than 5%: Cationic surfactants
Other ingredients: Perfume

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

| | |
|----------|--|
| Revision | This document differs from the previous version in the following areas: Changes to sections 1, 3, 8, 9, 11, 12, 15 |
| Acronyms | LC: Lethal concentration. LD: Lethal dose. NDA - No data available. NOAEC: No observed adverse effect concentration. NOAEL: No observed adverse effect level. NOEC: No observed effect concentration. NOEL: No observed effect level. PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative. *R01 - Polymer REACH number not available. |

| | |
|---|---|
| Text of Hazard Statements in Section 3 | Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 4: H302 - Harmful if swallowed. STOT SE 3: H336 - May cause drowsiness or dizziness. Aquatic Acute 1: H400 - Very toxic to aquatic life. |
|---|---|

Further information

| | |
|--|---|
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Internal ref: F000082 |
|--|---|

